

H2

| Weight (With Battery) | About 70kg | About 70kg | |
|-------------------------------------|---|---|--|
| Degree of Freedom(Total Joints) | 31 | 31 | |
| Single Leg Degrees of Freedom | 6 | 6 | |
| Single Arm Degrees of Freedom | 7 | 7 | |
| Waist Degrees of Freedom | 3 | 3 | |
| Head Degrees of Freedom | 2 | 2 | |
| Dexterous Hand | / | Dexterous Hand (Multiple Model Options) | |
| Bionic Head with Facial Features | YES | YES | |
| Joint output bearing | Industrial grade crossed roller bearings (high precision, high load capacity) | Industrial grade crossed roller bearings (high precision, high load capacity) | |
| Joint motor | Low inertia high-speed internal rotor PMSM(permanent magnet synchronous motor,better response speed and heat dissipation) | Low inertia high-speed internal rotor PMSM(permanent magnet synchronous motor,better response speed and heat dissipation) | |
| Maximum Torque of Arm Joint [1] | 120N.m | 120N.m | |
| Maximum Torque of Leg Joint [1] | 360N.m | 360N.m | |
| Arm Maximum Payload [1] | Peak: ~15 kg; Rated: ~7 kg | Peak: ~15 kg; Rated: ~7 kg | |
| Calf + Thigh Length | 1045mm | 1045mm | |
| Forearm + Upper Arm Length | 690mm | 690mm | |
| Materials Used in Construction | Aircraft-Grade Aluminum + Titanium Alloy + High-Strength | Aircraft-Grade Aluminum + Titanium Alloy + High-Strength | |

Mechanical Dimensions

| | Cooling System | Local air cooling | Local air cooling |
|--|--------------------------------|--|--|
| - | Power Supply | Premium Lithium Battery with Low Internal Resistance | Premium Lithium Battery with Low Internal Resistance |
| Electrical Characteristics Accessories | Battery Capacity | 15Ah(0.972KWh) | 15Ah(0.972KWh) |
| | Battery Voltage | Maximum Voltage: 75.6 V | Maximum Voltage: 75.6 V |
| | Basic Computing Power | PC1: Intel Core i5 (Platform Capabilities) | PC1: Intel Core i5 (Platform Capabilities) PC2: Intel Core i7 (Custom Development) |
| | Sensing Sensor | Humanoid Binocular Camera with Wide Field of View | Humanoid Binocular Camera with Wide Field of View |
| | Voice Interaction | Array Microphone and High- Power Speaker for Voice Interaction | Array Microphone and High- Power Speaker for Voice Interaction |
| | WiFi 6 、Bluetooth 5.2 | YES | YES |
| | High-Power Computing Module | / | Compute Module Up to Jetson AGX Thor (2070 Tops) |
| | Smart Battery (Quick Release) | YES | YES |
| | Charger | YES | YES |
| _ | Manual Controller | YES | YES |
| Other | Battery Life | About 3h | About 3h |
| | Upgraded Intelligent OTA | YES | YES |
| | Secondary Development [2] | / | YES |
| | Warranty Period [3] | 8 Months | 12 Months |
| | | | |

^[1] The above parameters may vary in different scenarios and configurations, please subject to actual situation.

^[2] For more information, please read the secondary development manual.

^[3] For more detailed warranty terms, please read the product warranty brochure.

- [5] If any change in the appearance of the product, please refer to the actual product.
- [6] Some sample functions on this page are still being developed and tested, and will be opened to users in the future.
- [7] Currently, the global humanoid robot industry is in the early stages of exploration. Individual users are strongly advised to thoroughly understand the limitations of humanoid robots before making a purchase.
- [8] This product is a civilian robot. We kindly request that all users refrain from making any dangerous modifications or using the robot in a hazardous manner.
- [9] Please visit Unitree Robotics Website for more related terms and policies, and comply with local laws and regulations.